	Application No.	Applicant(s)
Notice of Allowability	10/747,907	JEONG, LIM HO
	Examiner	Art Unit
	Julian Mercado	1745
	Julian Mercado	1745
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>2-6-07</u> .		
2. The allowed claim(s) is/are <u>1 and 3-8</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	_	
1. ☑ Notice of References Cited (PTO-892)		nal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Sumr Paper No./Mai	mary (PTO-413), il Date
3. Information Disclosure Statements (PTO/SB/08),	7. Examiner's Am	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Sta	tement of Reasons for Allowance
of Biological Material	9. Other	
•		

Application/Control Number: 10/747,907

Art Unit: 1745

DETAILED ACTION

Remarks

This Office action is responsive to applicant's amendment filed on February 6, 2007. Claims 1 and 3-8 are pending.

Claim Rejections - 35 USC § 112

The rejection of claims 1, 3 and 4 under 35 U.S.C. 112, second paragraph has been withdrawn.

Claim Rejections - 35 USC § 102 and 103

The rejection of claim 1 under 35 U.S.C. 102(b) based on Shimanuki et al. (JP 2002-216816) has been withdrawn.

The rejection of claims 5-7 under 35 U.S.C. 102(b) based on Takeu (JP 62-268062) has been withdrawn.

Claim Rejections - 35 USC § 103

The rejection of claims 2-4 under 35 U.S.C. 103(a) based on Shimanuki et al., Takeu and Okamoto (U.S. Pat. 6,214,486) has been withdrawn.

Allowable Subject Matter

Claims 1 and 3-8 are allowed.

Application/Control Number: 10/747,907

Art Unit: 1745

The following is an examiner's statement of reasons for allowance: the prior art of record does not teach or suggest the instant invention regarding a cooling system having a first, second and third cooling pipe having a plurality of fins on a circumferential surface thereof for a passage of a fuel gas flow field, air flow field and coolant circulation flow field, respectively.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. U.S. Pat. 2,216,778 to Houdry is cited to teach a finned tube [5] for exchange of heat between points within the tube and points exterior thereto. See col. 2 line 22 et seq. U.S. Pat. 4,004,947 to Bloomfield is cited to teach a fuel cell power plant having heat exchange points for a fuel, air and coolant passage.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julian Mercado whose telephone number is (571) 272-1289. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick J. Ryan, can be reached on (571) 272-1292. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

Application/Control Number: 10/747,907

Art Unit: 1745

applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.

PATRICK JOSEPH RYAN
SUPERVISORY PAYENT EXAMINER